Bots in web survey interviews: A showcase

Höhne^{1,2}, Claassen^{1,2}, Shahania¹, & Broneske¹

¹ German Centre for Higher Education Research and Science Studies (DZHW) ² Leibniz University Hannover

Fall Conference of the DGS Method Section on "Computational Sociology"

Bremen (Germany) – October 9 to 11, 2024



This research is funded by the German Society for Online Research



Introduction I

- Web surveys struggle with increasingly low response rates (Daikeler et al. 2020)
- Social media platforms, such as Facebook and Instagram, offer "sophisticated" advertisement and targeting systems (Kühne & Zindel 2020; Pötzschke et al. 2023; Zindel 2022)
 - Quick and easy access to unprecedented and diverse respondent pool
 - Supports recruitment of (some) hard-to-reach populations
- However, data quality and integrity are potentially threatened by bots (Griffin et al. 2022; Storozuk et al. 2020; Xu et al. 2022; Yarrish et al. 2019; Zhang et al. 2022)
 - Programs that autonomously interact with systems, such as web surveys
 - Bots may change survey outcomes and thus political and social decision-making (Xu et al. 2022)
- Bots were already used to manipulate public opinion through social media
 - For example, during Brexit-Referendum in 2016 (Gorodnichenko et al. 2021)

Introduction II

- There is ample literature on how bots infiltrate social media, distribute fake news, and skew public opinion (Howard et al. 2018; Ross et al. 2019; Shi et al. 2020)
- Consequences of bots for web surveys can be severe
 - Bot-based responses may differ from human responses introducing measurement error
 - Bots completing web surveys undermine public trust in social research (Xu et al. 2022)
 - Bots can lead to (in-)direct financial damages (Storozuk et al. 2020; Xu et al. 2022)
- Research on how to prevent bots from infiltrating web surveys is scarce (Griffin et al. 2022; Storozuk et al. 2020; Xu et al. 2022; Yarrish et al. 2019; Zhang et al. 2022)
 - Methods preventing bots from entering web surveys (e.g., CAPTCHAs)
 - Analyzing answer behavior (e.g., open answers)
 - Analyzing completion behavior (e.g., response times)



Limitations and Research Question

- Existing studies have methodological drawbacks
 - Bot prevalence and consequences are investigated on an observational level
 - No probability-based detection models and no simultaneous analysis of multiple indicators
- No distinction between rule-based and AI-based bots (Naga 2021; Shrivastav 2023)
 - Most studies only consider rule-based bots
 - Existing knowledge about rule-based bots may not hold for AI-based bots
- AI-based bots might be able to ...
 - ... tackle CAPTCHAs (i.e., challenge-response tests)
 - ... mimic completion behavior (e.g., mouse movements)
 - ... respond to question repetitions consistently (e.g., test-retest)
 - ... respond to questions meaningfully (e.g., open questions)

?? Do bots varying in sophistication show different completion characteristics ??

Method: Bot Development

- A programmer was asked to program four bots with increasing capabilities
- More sophisticated bots inherit the skills of less sophisticated bots
 - Cumulative skill sets

Rule-based bots	AI-based bots
Basic skills bot + Randomly answers one question per page (per question type) + Randomly answers open text fields based on predefined strings + Tackles invisible honey pot questions	Medium skills bot II (inherits Medium-I bot skills) + Classifies web survey content into opinion-based, emails, and attention checks using LLM (Gemini Pro) + Uses LLM to understand and answer questions meaningfully + Reads questions and mimics human time delay
Medium skills bot I (inherits Basic bot skills) + Handles multiple questions per page and type + Handles CAPTCHAs with text, objects, or numbers embedded in a picture + Generates random email addresses with valid domains	Advanced skills bot (inherits Medium-II bot skills) + Remembers previous answers (memory) + Answers based on respondent characteristics (personas) + Handles questions with audio-visual content (speech-to-text) + Simulates paradata (mouse movements and clicks, scrolling, and keystrokes)



Method: Bot Showcase

✓ [T] Umfrage	×	+	_		х	< IPython Console -	
< → C	ww3.unipark.de/u	c/demo_survey_1/ospe.php?qb	☆	1	:	Console 10/A ×	i = =
Chrome is being contro	illed by automated te	est software.			×	Antwort: Stimme voll und ganz zu Frage: In Deutschland übertreiben es viele mit ihrer Toleranz gege schwulen, lesbischen und bisexuellen Menschen. Antwort: Stimme überhaupt nicht zu Frage: An einer sexuellen Beziehung zwischen zwei Personen des gle	
	Deutsches Ze	ZH-KV entrum für ind Wissenschaftsforschung				Geschlechts ist nichts Schlechtes. Antwort: Stimme voll und ganz zu Geschlechts ist nichts Schlechtes. Selected answer by LLM to radio button: Stimme überhaupt nicht zu Selected radio button: v_83x4-label	
Nun geht es un in Deutschland		n von gleichgeschlechtli	chen Pa	aren		Bot succesfully clicked the radio button We found a radio_button question on page 3 No visible question found, the whole content of the page is: skip Survey Questionnaire Umfrage Es gibt in Deutschland unterschiedlic Meinungen zu gleichgeschlechtlichen Partnerschaften. Wie ist das b Inwieweit stimmen Sie den folgenden Aussagen zu oder nicht zu? Sch	he ei Ihnen:
		hlechtliche Paare in Deu e als Ehepaar gemeinsar				lesbische und bisexuelle Menschen sollten ihr Leben so führen dürf es wollen. Stimme voll und ganz zu Stimme eher zu Stimme eher nich überhaupt nicht zu Es ist ekelhaft, wenn schwule und lesbische Men in der Öffentlichkeit küssen. Stimme voll und ganz zu Stimme eher eher nicht zu Stimme überhaupt nicht zu Schwule, lesbische und bis Menschen sollten dieselben Rechte wie heterosexuelle Menschen habe	en, wie sie t zu Stimme schen sich zu Stimme exuelle
Wie finden Sie Deutschland Ki		hgeschlechtliche Ehepaa ren können?	are in		_	voll und ganz zu Stimme eher zu Stimme eher nicht zu Stimme überha zu In Deutschland übertreiben es viele mit ihrer Toleranz gegenübe lesbischen und bisexuellen Menschen. Stimme voll und ganz zu Stimm Stimme eher nicht zu Stimme überhaupt nicht zu An einer sexuellen	upt nicht r schwulen, e eher zu Beziehung
🔿 Sehr gut						zwischen zwei Personen des gleichen Geschlechts ist nichts Schlech voll und ganz zu Stimme eher zu Stimme eher nicht zu Stimme überha zu Schwule, lesbische und bisexuelle Menschen sollen aufhören, so Wirbel um ihre Sexualität zu machen. Stimme voll und ganz zu Stimm	upt nicht einen
⊖ Eher gut						Stimme eher nicht zu Stimme überhaupt nicht zu Sind Sie ein Bot? J Weiter All radio buttons in this section are not clickable, skipping this Total time spent in delays: 65.04284763336182 seconds	
O Eher nich	nt gut					Currently on page 3, clicking Next at time: 2024-10-01 14:56:50.70 We found a radio_button question on page 4	3774
ww3.unipark.de/uc//ospe.	php?qb#q						



Method: Web Survey Design and Trials

- Web survey on same-gender partnerships was programmed with Unipark
 - Each of the four bots took the web survey 100 times (N = 400) in August 2024
 - Starting with the Advanced bot, we ran the bots one-by-one through the web survey
- The web survey included ...
 - ... 3 open narrative questions
 - ... 26 closed questions
 - ... 1 picture CAPTCHA (counting cars)
 - ... 2 honey pot questions
 - ... 1 instructional manipulation check (IMC)
 - ... 1 check-all-that-apply question (CATA)
 - ... paradata in the form of completion times
- The web survey included 43 questions, tasks, and instructions on 28 pages

Method: Web Survey Screenshots I


Discher Zeitrum für Michter and Wissenschaftsförschung (DZFW) durch führe Teilnahme unterstützen Sie ein Forschungsprojekt zur "Wahrnehmung gleichgeschlechtlicher Partnerschaften in Deutschland". Das Projekt wird durch das Deutsche Zentrum für Hochschul- und Wissenschaftsförschung (DZFW) durchgeführt und ist durch die Deutsche Gesellschaft für Onlineforschung (DGOF) gefördert. Neben Ihren Antworten auf unsere Fragen erheben wir zusätzliche Prozessdaten (z. B. Antwortzeiten), die es uns erlauben, die Qualität unserer Umfrage besser zu beutrellen. Die Teilnahme an der Umfrage wird etwa 5 Minuten in Anspruch nehmen. Durch Ihre Teilnahme können Sie 56 gewinnen. Bitte teilen Sie uns daher am Ende der Umfrage die gültige E-Mail-Adresse Ihres PayPal-Accounts mit, um an der Verlosung teilzunehmen. Alle Ihre Informationen werden anonymisiert. Das heißt, alle Antworten werden getrennt von Ihren persönlichen Informationen gespeichert und verarbeitet. Es können keine Rückschlüsse auf Sie selbst gezogen werden. Ihre Teilnahme ist selbstverständlich freiwillig.	Behr gut Eher nicht gut Oberhaupt nicht gut	Es gibt in Deutschland unterschiedliche Meinungen zu gleichgeschiechtlichen Partnerschaften. Wie ist das bei Ihnen: Inwieweit stimmen Sie den folgenden Aussagen zu oder nicht zu? Schwule, lesbische und bisexuelle Menschen soliten Ihr Leben so führen dürfen, wie sie es wollen. stimme voll und ganz zu Stimme eher nicht zu stimme oberhaupt nicht zu stimme überhaupt nicht zu
Das DZHW nimmt den Datenschutz sehr ernst. Wir halten uns an alle gesetzlichen Vorgaben der Datenschutzgrundverordnung (DSGVO) und der entsprechenden Bundes- und Landesdatenschutzgesetze. Bevor Sie mit der Umfrage starten, möchten wir Sie noch darauf hinweisen, dass die Zunahme an sogenannten Bots (Programme, die menschliche Aktivitäten durchführen) inzwischen auch eine Bedrohung für die Qualität von Umfragen ist. Aus diesem Grund haben wir in dieser Umfrage verschiedene Maßnahmen errorffen, die uns dabei helfen, Bots und Menschen zu unterscheiden. Geben Sie bitte die Anzahl an Autos in das offene Feld ein, die Sie im Bild sehen.	WEITER	Es ist ekelhaft, wenn schwule und lesbische Menschen sich in der Öffentlichkeit kossen. Stimme voll und ganz zu Stimme eher zu Stimme eher nicht zu Stimme aberhaupt nicht zu Stimme voll und bisexuelle Menschen sollten dieselben Rechte wie heterosexuelle Menschen haben. Stimme voll und ganz zu Stimme eher zu Stimme voll und ganz zu Stimme eher zu
Geben Sie bitte die Anzahl der Autos hier ein:	Den question	Multiple questions

Method: Web Survey Screenshots II

100093 Bot Detection Survey © to Innerve time tole universe - ZMOCCREGENDERT	Deutsches Zentrum für Bitte klicken Sie im Folgenden auf das DZHW-Logo (oben), um zur nächsten Frage zu gelangen. Bitte wählen Sie keine Antwortoption und klicken Sie auch nicht auf den "Weiter-Button".	Deutschet zentrum für Deutschet zentrum für
Versicher tragszähl unsahl dassz. 2019 Stat. Lannoner. 2014 Templane Name Name Nationa Uniferniteter State	Sie helfen uns damit, Bots von menschlichen Teilnehmenden zu unterscheiden. Danke.	Wo haben Sie diese Umfrage ausgefüllt?
Lease and Le	O Sehr gut	Bitte wählen Sie alle zutreffenden Orte aus.
CSS hideFirstHoneypot.css im Projekt "Bot Detection Survey" editieren ALLSS MARKEEN LILDRIAME UNTERNEN MARLET SOURCEN	O Eher gut	Zu Hause (inklusive Home Office)
 manya masa ilona - manya masa ilona - manya masa ilona - manya masa 	O Eher nicht gut	Auf der Arbeit (z. B. Im Būro)
×1	O Überhaupt nicht gut	In der Schule, Universität oder Bibliothek
Oni Sun Orić Buru Benoné turnyo Oni 2014 Buzingsana Bindinia 941 Oni Burus 946 Oni Anna Bindini Anna Sana Anna Bindinia 		Im Café, Restaurant oder Bar
SECIEN		Ôffentlicher Nahverkehr (z. B. Bus oder Bahn)
Honey pot	WEITER	An einem öffentlichen Platz (z. B. Park oder Einkaufszentrum)
	IMC	An einem anderen Ort WEITER
Sie sind	Deutsches Zentrum für Hochschul- und Wissenschaftsforschung = Wie viele Jahre haben Sie insgesamt eine Schule besucht? Bitte rechnen Sie die Gesamtdauer Ihrer Schulzeit in ganze Jahre um. Wenn Sie die genaue Zahl nicht wissen, geben Sie	CATA
Gender (Demo)	bitte eine Schatzung an. WEITER Education (Demo)	



Results: Web Survey Completion




All bots complete the web survey somehow. Break-offs are very limited

Note. Rule-based bots (gold lines) and AI-based bots (black lines). Based on all 43 questions, tasks, and instructions placed on 28 web survey pages.

Results: Item-nonresponse

Item-nonresponse Rate (%) – Single Questions




Note. Rule-based bots (gold lines) and AI-based bots (black lines). Based on 26 closed questions and three open narrative questions.

lab

Computational Survey and Social Science

12


Results: CAPTCHA



Note. Rule-based bots (gold lines) and AI-based bots (black lines). Based on one CAPTCHA placed on the welcome page.

As programmed, CAPTCHAs do not constitute a problem for the bots, except for the basic one

Results: Honey Pot Questions




All bots conquer invisible honey pot questions, although they are not explicitly programmed to do so

 \rightarrow Selenium WebDriver

Note. Rule-based bots (gold lines) and AI-based bots (black lines). Based on two honey pot questions implemented in the source code of two web survey pages.

Results: IMC




IMCs challenge all bots. However, the advanced bot shows a "learning effect" getting better over trials

Note. Rule-based bots (gold lines) and AI-based bots (black lines). Based on one IMC placed on one web survey page. IMC = Instructional Manipulation Check.

Results: Answer Length


Answer Length (Words) – Single Open Questions



Note. Rule-based bots (Basic and Medium I) and AI-based bots (Medium II and Advanced). Based on three narrative open questions placed on three web survey pages.

Results: CATA Question


Number of Selected Answer Options in CATA Question (#)



Rule-based bots select a high number of survey locations (e.g., home, public transport, work)

Note. Rule-based bots (gold lines) and AI-based bots (black lines). Based on one CATA question on survey location placed on one web survey page. CATA = Check-All-That-Apply.

Results: Completion Times



Note. Rule-based bots (gold lines) and AI-based bots (black lines). Based on all 43 questions, tasks, and instructions placed on 28 web survey pages. We used the open-source "Embedded Client Side Paradata" tool (Schlosser & Höhne 2018).

Discussion and Conclusion

- Common whisper about bot behavior is only partially true
 - For example, CAPTCHAs and honey pot questions do not pose a great challenge
- There are some clear differences between rule- and AI-based bots
 - AI-based bots provide comparatively long, tailored open answers
 - Rule-based bots select a very high (impossible) number of answer options
 - AI-based bots produce similar completion times as humans
- In a next step, we look at completion behavior using paradata
- We then run machine learning algorithms in an unsupervised setting
 - Extracting features from closed (e.g., inconsistency) and open answers (e.g., Type Token Ratio)
 - Applying NLP to detect robotic language for AI-based bots
- Prediction models plus bot-based pretest application will be accessible soon

CS3 meeting: Saijal Shahania (DZHW)

October 24, 2024, from 3:15 to 4:00 PM

The bot that lived: SurveyBot's role in automated web survey pretesting

In the last decade, web surveys have replaced traditional survey data collection methods, such as in-person interviews, offering substantial cost reduction and paradata collection but presenting complexities due to various question formats and dynamic features. To test the proper implementation of web surveys, researchers and practitioners still rely on costly and time-consuming pretests that are conducted manually by humans. We present SurveyBot, an open-source tool, for automating web survey pretesting through rule-based bots as well as Albased bots that use Large Language Models (LLMs) and Automatic Speech Recognition (ASR). Tested on two web surveys, SurveyBot effectively handles diverse question types and dynamic features, substantially reducing pretesting costs and human effort.



Many thanks for your attention!

hoehne@dzhw.eu www.jkhoehne.eu @jkhoehne



Literature I

- Daikeler, J., Bosnjak, M., & Lozar Manfreda, K. (2020). Web versus other survey modes: An updated and extended meta-analysis comparing response rates. Journal of Survey Statistics and Methodology, 8, 513-539. <u>https://doi.org/10.1093/jssam/smz008</u>
- Griffin, M., Martino, R. J., LoSchiavo, C., Comer-Carruthers, C., Krause, K. D., Stults, C. B., & Halkitis, P. N. (2022). Ensuring survey research data integrity in the era of internet bots. Quality & Quantity, 56, 2841–2851. <u>https://doi.org/10.1007/s11135-021-01252-1</u>
- Gorodnichenko, Y., Pham, T., & Talavera, O. (2021). Social media, sentiment and public opinions: Evidence from #Brexit and #USElection. European Economic Review, 136, 103772. <u>https://doi.org/10.1016/j.euroecorev.2021.103772</u>
- Howard, P. N., Woolley, S., & Calo, R. (2018). Algorithms, bots, and political communication in the US 2016 election: The challenge of automated political communication for election law and administration. Journal of Information Technology & Politics, 15, 81–93. <u>https://doi.org/10.1080/19331681.2018.1448735</u>
- Kühne, S., & Zindel, Z. (2020). Using Facebook and Instagram to recruit web survey participants: A step-by-step guide and applications. Survey Methods: Insights from the Field. <u>https://surveyinsights.org/?p=13558</u>
- Naga, K. (2021). How chatbots are enabling a paradigm shift for organisations. <u>https://www.electronicsforu.com/technology-trends/tech-focus/chatbots-enabling-paradigm-shift-organisations</u>
- Pötzschke, S., Weiß, B., Daikeler, J., Silber, H., & Beuthner, C. (2023). A guideline on how to recruit respondents for online surveys using Facebook and Instagram: Using hard-to-reach health workers as an example. GESIS Survey Guidelines. <u>https://doi.org/10.15465/gesis-sg_en_045</u>
- Ross, B., Pilz, L., Cabrera, B., Brachten, F., Neubaum, G., & Stieglitz, S. (2019). Are social bots a real threat? An agent-based model of the spiral of silence to analyse the impact of manipulative actors in social networks. European Journal of Information Systems, 28, 394-412. https://doi.org/10.1080/0960085X.2018.1560920
- Schlosser, S., & Höhne, J.K. (2018). ECSP Embedded Client Side Paradata. Zenodo. https://doi.org/10.5281/zenodo.1218941
- Shi, W., Liu, D., Yang, J., Zhang, J., Wen, S., & Su, J. (2020). Social bots' sentiment engagement in health emergencies: A topic-based analysis of the covid-19 pandemic discussion on Twitter. International Journal of Environmental Research and Public Health, 17, 8701. <u>https://doi.org/10.3390/ijerph17228701</u>

Literature II

- Shrivastav, A. (2023). Generative AI chatbots: Gamechanger or doomsayer to intelligent conversations. <u>https://www.kellton.com/kellton-tech-blog/generative-ai-chatbots-gamechanger-or-doomslayer-to-intelligent-conversations</u>
- Storozuk, A., Ashley, M., Delage, V., & Maloney, E. A. (2020). Got bots? Practical recommendations to protect online survey data from bot attacks. The Quantitative Methods for Psychology, 16, 472-481. <u>https://doi.org/10.20982/tqmp.16.5.p472</u>
- Xu, Y., Pace, S., Kim, J., et al. (2022). Threats to online surveys: Recognizing, detecting, and preventing survey bots. Social Work Research, 46, 343-350. <u>https://doi.org/10.1093/swr/svac023</u>
- Yarrish, C., Groshon, L., Mitchell, J. D., Appelbaum, A., Klock, S., Winternitz, T., & Friedman-Wheeler, D. G. (2019). Finding the signal in the noise: Minimizing responses from bots and inattentive humans in online research. The Behavior Therapist, 42, 235–242.
- Zhang, Z., Zhu, S., Mink, J., Xiong, A., Song, L., & Wang, G. (2022). Beyond bot detection: Combating fraudulent online survey takers. In F. Laforest, R. Troncy, E. Simperl, D. Agarwal, A. Gionis, I. Herman, & L. Médini (Eds.), WWW '22: Proceedings of the ACM Web Conference 2022 (pp. 699-709). Association for Computing Machinery. <u>https://doi.org/10.1145/3485447.3512230</u>
- Zindel, Z. (2022). Social media recruitment in online survey research: A systematic literature review. Methods, Data, Analysis. https://doi.org/10.12758/mda.2022.15